

Industrial Engineering Example of the Runge-Kutta Method **Autar Kaw**

Example 1

The open loop response, that is, the speed of the motor to a voltage input of 20V, assuming a system without damping is

$$20 = (0.02) \frac{dw}{dt} + (0.06)w$$

If the initial speed is zero; use the Runge-Kutta 2nd order method and a step size of $h = 0.4$ s to find the speed at $t = 0.8$ s .

Solution

$$\frac{dw}{dt} = 1000 - 3w$$

$$f(w,t) = 1000 - 3w$$

Per Heun's method

$$w_{i+1} = w_i + \left(\frac{1}{2}k_1 + \frac{1}{2}k_2 \right)h$$

$$k_1 = f(w_i, t_i)$$

$$k_2 = f(w_i + h, t_i + k_1h)$$

For $i = 0, t_0 = 0, w_0 = 0$

$$k_1 = f(t_0, w_0)$$

$$= f(0,0)$$

$$= 1000 - (3 \times 0)$$

$$= 1000$$

$$k_2 = f(t_0 + h, w_0 + k_1h)$$

Source URL: <http://numericalmethods.eng.usf.edu/>
Saylor URL: <http://www.saylor.org/courses/me205/>

Attributed to: University of South Florida: Holistic Numerical Methods Institute



Saylor.org

Page 1 of 7

$$\begin{aligned}
&= f(0 + 0.4, 0 + (1000 \times 0.4)) \\
&= f(0.4, 400) \\
&= 1000 - (3 \times 400) \\
&= -200 \\
w_1 &= w_0 + \left(\frac{1}{2}k_1 + \frac{1}{2}k_2 \right)h \\
&= 0 + \left(\left(\frac{1}{2}(1000) + \frac{1}{2}(-200) \right) \times 0.4 \right) \\
&= 0 + (500 - 100) \times 0.4 \\
&= 160 \text{ rad/s}
\end{aligned}$$

w_1 is the approximate speed of the motor at

$$t = t_1 = t_0 + h = 0 + 0.4 = 0.4 \text{ s}$$

$$w(0.4) \approx w_1 = 160 \text{ rad/s}$$

For $i = 1, t_1 = t_0 + h = 0 + 0.4 = 0.4, w_1 = 160$

$$\begin{aligned}
k_1 &= f(t_1, w_1) \\
&= f(0.4, 160) \\
&= 1000 - (3 \times 160) \\
&= 520 \\
k_2 &= f(t_1 + h, w_1 + k_1 h) \\
&= f(0.4 + 0.4, 160 + (520 \times 0.4)) \\
&= f(0.8, 368) \\
&= 1000 - (3 \times 368)
\end{aligned}$$



$$\begin{aligned}
&= -104 \\
w_2 &= w_1 + \left(\frac{1}{2}k_1 + \frac{1}{2}k_2 \right)h \\
&= 160 + \left(\frac{1}{2}(520) + \frac{1}{2}(-104) \right) \times 0.4 \\
&= 160 + (208 \times 0.4) \\
&= 243.2 \text{ rad/s}
\end{aligned}$$

w_2 is the approximate speed of the motor at

$$t = t_2 = t_1 + h = 0.4 + 0.4 = 0.8 \text{ s}$$

$$w(0.8) \approx w_2 = 243.2 \text{ rad/s}$$

The exact solution of the ordinary differential equation is given by

$$w(t) = \left(\frac{1000}{3} \right) - \left(\frac{1000}{3} \right) e^{-3t}$$

The solution to this nonlinear equation at $t = 0.8 \text{ s}$ is

$$w(0.8) = 303.09 \text{ rad/s}$$

The results from Heun's method are compared with exact results in Figure 1.






Figure 1 Heun's method results for different step sizes.

Using smaller step size would increase the accuracy of the result as given in Table 1 and Figure 2 below.

Table 1 Effect of step size for Heun's method.

Step size, h	$w(0.8)$	E_t	$ \epsilon_t \%$
0.8	□160.00	463.09	152.79
0.4	243.20	59.894	19.761
0.2	295.61	7.4823	2.4687
0.1	301.70	1.3929	0.45954

Source URL: <http://numericalmethods.eng.usf.edu/>
 Saylor URL: <http://www.saylor.org/courses/me205/>

Attributed to: University of South Florida: Holistic Numerical Methods Institute



Saylor.org

0.05	302.79	0.30613	0.10100
------	--------	---------	---------




Figure 2 Effect of step size in Heun's method.

In Table 2, the Euler's method and Runge-Kutta 2nd order method results are shown as a function of step size.

Table 2 Comparison of Euler and the Runge-Kutta methods.

Step size,	$w(0.8)$
------------	----------

Source URL: <http://numericalmethods.eng.usf.edu/>
 Saylor URL: <http://www.saylor.org/courses/me205/>

Attributed to: University of South Florida: Holistic Numerical Methods Institute



Saylor.org

h	Euler	Heun	Midpoint	Ralston
0.8	800	□ 160.0 0	□ 160.00	□ 160.00
0.4	320	243.20	243.20	243.20
0.2	324.8	295.61	295.61	295.61
0.1	314.11	301.70	301.70	301.70
0.05	308.58	302.79	302.79	302.79

In Figure 3, the comparison is shown over the range of time.




Figure 3 Comparison of Euler and Runge-Kutta methods with exact results over time ($h=0.4$).

Source URL: <http://numericalmethods.eng.usf.edu/>
 Saylor URL: <http://www.saylor.org/courses/me205/>

Attributed to: University of South Florida: Holistic Numerical Methods Institute



Saylor.org

Source URL: <http://numericalmethods.eng.usf.edu/>
Saylor URL: <http://www.saylor.org/courses/me205/>

Attributed to: University of South Florida: Holistic Numerical Methods Institute



Saylor.org

Page 7 of 7